


**OVERVIEW**



1. Power connector	5. Power indicator
2. HDMI 1.4b	6. NOVO button hole
3. USB 2.0	7. Headphone / microphone combo jack (3.5mm)
4. 2x USB 3.1 Gen 1	8. Card reader

## PERFORMANCE

### Processor

#### Processor Family

10th Generation Intel® Core™ i3 / i5 / i7 Processor

#### Processor\*\*

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Core i3-1005G1	2	4	1.2GHz	3.4GHz	4MB	DDR4-3200	Intel UHD Graphics
Core i5-1035G1	4	8	1.0GHz	3.6GHz	6MB	DDR4-3200	Intel UHD Graphics
Core i7-1065G7	4	8	1.3GHz	3.9GHz	8MB	DDR4-3200	Intel Iris® Plus Graphics

### Operating System

#### Operating System\*\*

- Windows® 10 Pro 64
- Windows 10 Home 64
- FreeDOS
- No operating system

### Graphics

#### Graphics\*\*

Graphics	Type	Memory	Key Features
Intel UHD Graphics	Integrated	Shared	DirectX® 12
Intel Iris Plus Graphics	Integrated	Shared	DirectX 12
NVIDIA® GeForce® MX330	Discrete	2GB GDDR5	DirectX 12

### Monitor Support

#### Monitor Support

Supports up to 2 independent displays via native display and 1 external monitor; supports external monitor via HDMI® (up to 4096x2304@24Hz)

### Chipset

#### Chipset

Intel SoC (System on Chip) platform

### Memory

#### Max Memory<sup>[1]</sup>

Up to 12GB (4GB soldered + 8GB SO-DIMM) DDR4-2666

#### Memory Slots

One memory soldered to systemboard, one DDR4 SO-DIMM slot

#### Memory Type

DDR4-2666

#### Notes:

1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

### Storage

#### Storage Support

Up to two drives, 1x 2.5" HDD + 1x M.2 SSD

- 2.5" HDD up to 2TB
- M.2 2242 SSD up to 512GB
- M.2 2280 SSD up to 512GB

#### Storage Type\*\*\*

Disk Type	Interface	RPM	Security
2.5" SATA HDD	SATA 6Gb/s	5.4K	-
2.5" SATA HDD	SATA 6Gb/s	7.2K	-
M.2 2242 SSD	PCIe® NVMe®, PCIe 3.0 x2	-	-
M.2 2280 SSD	PCIe NVMe, PCIe 3.0 x4	-	-
Intel Optane™ Memory with Solid State Storage, M.2 2280	PCIe NVMe, PCIe 3.0 x4	-	-

## Removable Storage

### Optical

None

### Card Reader

4-in-1 card reader (SD, SDHC, SDXC, MMC)

## Multi-Media

### Audio Chip

High Definition (HD) Audio

### Speakers

Stereo speakers, 1.5W x2, Dolby® Audio™

### Microphone

Single microphone

### Camera

0.3-megapixel, fixed focus

## Battery

### Battery\*\*

- Integrated Li-Polymer 30Wh battery
- Integrated Li-Polymer 35Wh battery

### Max Battery Life<sup>[1]</sup>

- MobileMark® 2014: 5.5 hr (30Wh)
- MobileMark 2014: 6 hr (35Wh)

### Notes:

1. All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary and depends on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

## Power Adapter

### Power Adapter

65W round tip (2-pin, wall-mount) AC adapter

## DESIGN

## Display

### Display\*\*<sup>[1]</sup>

Size	Resolution	Touch	Type	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
15.6"	HD (1366x768)	None	TN	220 nits	Anti-glare	16:9	-	-	-	-
15.6"	FHD (1920x1080)	None	TN	220 nits	Anti-glare	16:9	-	-	-	-
15.6"	FHD	None	IPS	250 nits	Anti-	16:9	-	-	-	-

(1920x1080)				glare					
-------------	--	--	--	-------	--	--	--	--	--

**Touchscreen**

Non-touch

**Notes:**

1. California Electronic Waste Recycling Fee  
In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to <https://www.calrecycle.ca.gov/Electronics/Consumer>

**Input Device**

**Keyboard**

6-row, spill-resistant, multimedia Fn keys, numeric keypad

**Keyboard Backlight**

No support

**Touchpad**

Buttonless Mylar® surface multi-touch touchpad

**Mechanical**

**Dimensions (WxDxH)**

Models	Dimensions
All models	362.2 x 251.5 x 19.9 mm (14.26 x 9.9 x 0.78 inches)

**Weight<sup>[1]</sup>**

Models	Weight
All models	1.85 kg (4.08 lbs)

**Case Color**

Iron grey

**Surface Treatment<sup>\*\*</sup>**

- IMR (in-mold decoration by roller)
- Texture

**Case Material**

PC + ABS (top), PC + ABS (bottom)

**Notes:**

1. The system weight varies depending on configurations

**CONNECTIVITY**

**Network**

**Onboard Ethernet**

No Ethernet

**WLAN + Bluetooth<sup>\*\*</sup>**

- 802.11ac 1x1 Wi-Fi® + Bluetooth 4.2, M.2 card
- 802.11ac 2x2 Wi-Fi + Bluetooth 5.0, M.2 card

**Ports<sup>[1]</sup>**

**Standard Ports**

- 1x USB 2.0
- 2x USB 3.1 Gen 1
- 1x HDMI 1.4b
- 1x Card reader
- 1x Headphone / microphone combo jack (3.5mm)
- 1x Power connector

**Notes:**

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.  
USB 2.0: 480 Mbit/s;  
USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;  
USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;  
USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;  
Thunderbolt™ 3: 40 Gbit/s;  
FireWire 400: 400 Mbit/s;  
FireWire 800: 800 Mbit/s

## SECURITY & PRIVACY

### Security

#### Security Chip

Firmware TPM 2.0 integrated in chipset

#### Fingerprint Reader

No fingerprint reader

#### BIOS Security

- Supervisor password
- Power-on password
- Hard disk password

## SERVICE

### Warranty

#### Base Warranty\*\*

- 1-year depot service
- 2-year (1-yr battery) depot service

## ENVIRONMENTAL

### Operating Environment

#### Temperature<sup>[1]</sup>

- At altitudes up to 2438 m (8,000 ft)
  - Operating: 5°C to 35°C (41°F to 95°F)
  - Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
  - Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

#### Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

**Notes:**

1. When you charge the battery, its temperature must be no lower than 10°C (50°F)

## CERTIFICATIONS

### Green Certifications

#### Green Certifications

- ErP Lot 3
- RoHS compliant

- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Feature with \*\*\* means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.

